

NORTH CAPE

TECHNICAL INFORMATION

Executive















Task



Conference



Visitor



Types

- Executive, task, visitor and conference chairs.

Seat and back

- Molded with HR polyurethane and glued with foam;
- Upholstered with fabric or leather.

Armrests

- Black colour polyamide armrests, upper pad made of soft PU, dimensions: 310x240x110 mm;
- Upholstered armrests, molded with HR polyurethane, dimensions: 350x240x90 mm.

Mechanism

- Knee-tilt side tension mechanism with automatic location return;
- 4 locking positions (executive and task chairs).

Gas lift

- Black or chromed;
- 90 mm run range (executive and manager chairs).

Bases

- Five-star polished aluminium or black plastic base with fiberglass, external Ø 680 mm;
- 4-leg base: top in polished aluminium, bottom - black colour;
- 4-leg chromed or powder-coated (grey / black) steel frame base;
- Cantilever chromed or powder-coated (grey / black) steel frame with plastic glides.

Castors

- Rubber free wheel castors for hard floor, Ø 65mm;
- PA (polyamide) free wheel castors for soft floor, Ø 65mm.

Accessories

- Seat cushion for executive, task and conference chairs.

MATERIALS

- Fabric: XTREME PLUS, TWIST, VELITO
- Genuine leather: DNN
- Leather look: RNN

Metal
(visitor chairs bases
SNA000, SNA500):





GUARANTEE

- 3 years

ORDERING EXAMPLE

Code structure





Optional



Seat cushion for executive,
task and meeting chairs

NORTH CAPE PLUS

TECHNICAL INFORMATION



Types

- Task chairs.

Seat

- Made of HR polyurethane;
- Upholstered with RNN or fabric.

Backrest

- Made of polyurethane;
- Upholstered with RNN or fabric.

Lumbar support

- Fixed molded polyurethane lumbar support.

Armrests

- 3D (three directions) adjustable black plastic armrests;
- 4D (four directions) adjustable black plastic armrests.

Mechanism

- Weight-sensitive synchronized mechanism;
- 4 locking positions;
- 20° backrest angle;
- 6.5° seat angle.

Gas lift

- Black 130 mm run range.

Base

- Five-star aluminum or black plastic with fiberglass base;
- External Ø680 mm.

Castors

- Full or ring type;
- Rubber free wheel castors for hard floor, Ø65 mm (+);
- PA (polyamide) free wheel castors for soft floor, Ø65 mm (-).

MATERIALS

- Fabric: BERTA, XTREME PLUS, TWIST, VELITO
- Leather look: RNN

GUARANTEE

- 3 years

ORDERING EXAMPLE

Code structure



GU3



Rubber castors (F+)



Polyamide castors (F-)



Rubber castors (O+)



Polyamide castors (O-)

SNC130 + GU3

Product

Castor type

Fabric

Optional



3D (three directions) adjustable armrests



4D (four directions) adjustable armrests